



Model 370 & 570 **Continuous Flow Grain Dryers**

(Starting w/Serial No. 52698)





PARTS MANUAL

Form No. D 309 October 1993

Matnews Company / 500 Industrial Ave., Crystal Lake, IL 60012, U.S.A. 815/459-2210 FAX 815/459-5889

CONTENTS

		Pag
Introd	luction	
	Parts Ordering Instructions	
	Model and Serial Number Location	
	Capscrew Grade Identification	. 1
D4 -		
Parts		0.1
	Air Pressure Switch	31
	Augers Level	20
	Unload	
	Officad	2-7
	Belts	
	Level Auger	28
	Unload Auger	
	Bin Level Indicator	
	Burner	17
	Cabinets	
	115V Control Cabinet	
	Circuit Breakers - Level Auger, Unload Auger & Fan Motor	-33
	Coils	
	Magnetic Starter - 115V	
	%" Solenoid Valve	
	1¼" Solenoid Valve	
	½" Solenoid Valve	
	Contacts - For Magnetic Starters	
	Control Panel Lights, Switches and Controls	21
	Decal Kit - All Models	13
	Electrical Components in 115V Control Cabinet	
	Electrode	19
	End Panels 370 and 570	10
	370 and 570	12
	Fan	1.8
	Fan Motor	
	Fan Motor Mount	
	Fan Orifice	
	Fan Orifice Supports	
	Flame Sensing Probe	
	Floor Panels - 370 and 570	12
	Consula	
	Guards Fan	16
	Level Auger Motor	
	SCR Drive	15

	Page
High Limit Switch	31
Hopper	
370	
570	28
Ignition Board	26
Ignition Wires	19
Interlocks - For Magnetic Starters	34
Jumper Straps - For Magnetic Starters	34
Level Auger	
Belts	28
Motor	28
Motor Mount	28
Switch Assembly	31
Lights, Control Panel	27
LP Gas Liquid Line Piping	
LP Gas Manifold and Piping)-21
Magnetic Starters	2-33
Manifolds	
LP Gas	
Natural Gas	
Mercury Switch	
Metering Rolls	
370	
570	
Modulating Valves	
Modulating Valve Power Elements	, 23
Moisture Control	0.4
Moisture Control	
Moisture-Matic II	
Potentiometer	
Thermistor Sensor	
Motors	2-33
Natural Gas Manifold and Piping	23
Orifice Liner	16
Portabilities	
Pressure Gauge (Gas)	, 23
Pressure Regulator (LP Gas)	21

Continued on next page

Relay	's
Hene	vaive Li das
SCR	Drive Unload System
	Control Board
	Motor and Gear Box
	Potentiometer
Scre	ens
	Base Screens
	Upper Screens
Sole	oid Valves
	1¼" - Natural Gas
	½" - LP Gas
<u>.</u>	%" - LP Gas
Swit	ches, Control Panel
Torna	inal Tracks
	niai Tracks
	nometer
Time	
1 11110	10 Second - Ignition
	.1 to 8 Minute Adjustable - Level Auger`
	60 Minute Adjustable - Low Grain Level
Trans	formers
Unlo	nd Auger
	Auger
	Belts
	Motor
	Pans
Vanc	rizer Coil - LP Gas
rape	
	NOTES

INTRODUCTION

Parts Ordering Instructions

- Order parts from your local M-C Dealer or distributor.
- 2. Always furnish the Grain Dryer model and serial number. This information is stamped on the serial number plate.
- When ordering parts be sure to furnish the part number, description and quantity required.

NOTE: Attaching hardware is listed (but not included) with the main part. It must be ordered separately.

- 4. Inspect all shipments upon receipt. If any packages and/or boxes are missing, or parts are damaged, file a claim with the carrier immediately. Failure to do so may void a claim. Check the shipment against the packing list carefully. Report any shortages to the shipper immediately.
- 5. Do not return any parts to the Mathews Company without a "Return Goods Authorization" from the factory. All return parts shipments must be shipped prepaid (COD shipments will not be accepted). Shipments must also include the following:
 - A. A letter of explanation including the "Return Goods Authorization Number," your name and address.
 - B. A list of all parts being returned. List must include part numbers, description, quantity, and original invoice number.

Model and Serial Number Location

The model and serial number of your Grain Dryer are stamped on a plate located on the left front base panel, see Figure 1. On earlier production dryers, the plate is on the dryer front end panel




Figure 1




Figure 2

just above the location shown in Figure 1. Record the model and serial number in the blank spaces in Figure 2.

Capscrew Grade Identification


There are four grades of hex-head capscrews. Grade 1 and 2 are common capscrews, grade 5 and 8 are used when greater strength is required. Each grade can be identified by the marking on the head of the capscrew, see chart below.

When replacing capscrews, be sure to use the correct size and grade. If a specific grade is not shown as part of the description, the capscrew is a grade 1 or 2.

CAPSCREW GRADE IDENTIFICATION CHART


S.A.E. Grade	Description	Capscrew Head Marking*
1	WILL HAVE A PLAIN HEAD - NO RADIAL LINES	
2	Low or Medium Carbon Steel Not Heat Treated	
5	WILL HAVE 3 RADIAL LINES	1
	Quenched and Tempered Medium Carbon Steel	
8	WILL HAVE 6 RADIAL LINES	1
	Quenched and Tempered Special Carbon or Alloy Steel	(Ly

^{*}The center marking identifies the capscrew manufacturer.



Ref	Part No.	Qty.	<u>Description</u>	Ref	. Part No.	Qty.	Description
1	128 1063	4	Metering Roll Brg. w/Bronze Bushing	6	121 5042	2	Metering Roll Stub Shaft (Rear) 1¼" x 5" (press
	000 8106	8	5/16-18 x %" Capscrew				fit in metering roll)
	000 8169	8	5/16-18 Flanged Locknut	7	128 4712	1	Over Load Door
2	121 4438	AR	Metering Roll Washer -		000 8119	2	%-16 x ¾" Capscrew
			11 Gauge		000 8205	2	%-16 Top Lock Flanged Nut
	128 4970	AR	Metering Roll Washer - 16 Gauge	8	001 6003	1	1 ¼ " Bearing w/Lock Collar
3	128 0225	2	Inner Perf. Mt. Weld	9	001 6004	2	1 ¼ " Bearing Flangette
•	000 8106	12	5/16-18 x ¾" Capscrew		000 8119	3	%-16 x ¾" Capscrew
	000 8169	12	5/16-18 Flanged Locknut		000 8168	3	%-16 Flanged Locknut
4	128 8958	4	Support Rod (%"x4 %")	10	128 4896	1	Shut-Off Switch Cover
•	000 8173	4	5/16" Flatwasher		001 8284	2	5/16-12 x ½ " Self-
	000 8168	12	%-16 Flanged Locknut				Tapping Screw
5	128 2890	2	Unload Auger Cover	11	120 6800	1	Mercury Switch
-	001 8111	4	5/16-18 Clip Nut	12	120 6801	1	Mercury Switch Mt. Clip
	000 8106	5	5/16-18 x 3/4" Capscrew		000 8282	2	6-32 x ¼ " Machine Screw
	000 8173	5	5/16" Flatwasher		000 8185	2	6-32 Flanged Locknut
	000 8169	1	5/16-18 Flanged Locknut				


Re	f. Part No.	Qty.	Description
13	128 2937	1	Buib Mount
14	128 0242	1	Unload Auger Discharge
	000 8106	9	5/16-18 x ¾" Capscrew
	000 8169	9	5/16-18 Flanged Locknut
15	122 1007	1	Unload Hanger Brg, Kit
16	000 8229	8	%-16 x 2¾" Capscrew -
			Grd. 5
	000 8205	8	Top-Lock Flange Nut
17	128 0244	1	Unload Auger (10")
18	124 5610	1	Unload Auger Input Shaft
19	128 3008	1	Front Seal Plate
	000 8184	4	8-18 x ½" Sheet Metal
			Screw
20	001 6011	1	1-7/16" Bore Pillow
			Block Brg.
	001 8299	2	½ "-13 x 1 ¾ " Capscrew -
			Grd. 8 w/Nylock
	001 8257	2	1½" SAE Flatwasher
	000 8163	2	½-13 Hex Nut
21	128 0247	1	Unload Auger Front Plate
	000 8119	4	%-16 x ¾" Capscrew
	000 8168	4	%-16 Flanged Locknut
22	000 8259	2	Roll Pin 5/16 x 1 % "
23	121 2637	2	Clean-Out Cover
	000 8168	4	%-16 Flanged Locknut
24	128 5042	2	Metering Roll Shaft (Front)
			1 ¼ " x 13 ¼ " (press fit in
			metering roll)
25	128 1186	2	Metering Roll Ass'y
			(Incl. shafts)
26	128 3011	1	Stub Shaft Guard
27	128 5618	1	Unload Auger Link
28	128 0309	1	Standard Auger Weld
29	124 5611	1	Unload Auger O/P Shaft



Description	Rear Unload Auger (10") Rear Metering Roll Ass'y (Incl. shafts) 5/16-18 x 2½" Capscrew	5/16" Lockwasher 5/16-18 Hex Nut %-16 x 2%" Capscrew-Grd. 5 Top-I ock Flange Nut	Unload Auger Link Front Unload Auger (10") Front Metering Roll Ass'y	(Incl. shaft) Roll Pin 5/16" x 1%" Metering Roll Washer-11 Gauge Metering Roll Washer-16 Gauge	Front Metering Roll Shaft - 1¼" x 13¼" (press fit in metering roll) Base Panel Access Door	(17½" x 10½") 5/16-12 x ½" Self Tapping Screw Unload Auger Front Plate %-16 x ¾" Capscrew 3/8-16 Flanged Locknut	1-7/16" Bore Pillow Block Bearing ½-13 x 1¾" Capscrew-Grd. 8 w/Nylock ½" SAE Flatwasher ½-13 Hex Nut
	Rear Rear (In	5/16 5/16 78-1	Unic Fron	(In Roll Met	Front 1 ¼ ' roll) Base	(1) 5/16 Unic 3/8-1	1-7/ V /w \ " 2/ 1-2/
Oty.	- 2 2	0 0 0 0 0	0	ω44	0 0	4-44	-0 00
Part No.	128 0244 121 1082 000 8114	000 8222 000 8159 000 8229	128 5618 128 0244 128 1254	000 8259 121 4438 128 4970	128 5042	001 8284 128 0247 000 8119 000 8168	001 6011 001 8299 001 8257 000 8163
Ref.	<u>5</u> ε 7 4	15	16 17 18	19	22	73	24
				(IIo	. D		
Description	Unload Auger Cover 5/16-18 Clip Nut 5/16-18 x %" Capscrew 5/16" Flatwasher	5/16-18 Flanged Locknut Inner Perf. Mt. Weld 5/16-18 x %" Capscrew 5/16-18 Flanged Locknut	Support Rod (%" x 4-%") 5/16" Flatwasher %-16 Flanged Locknut	Center Metering Roll Shaft - 1 1/4 " x 7" (press fit in metering roll) Rear Metering Roll Stub Shaft - 1 1/4 " x 5" (press fit in metering roll)	Metering Roll Brg. w/Bronze Bushing 5/16-18 x %" Capscrew 5/16-18 Flanged Locknut Over Load Door	%-16 x %" Capscrew %-16 Top Lock Flanged Nut 1%" Bearing w/Lock Collar 1%" Bearing Flangette %-16 x 1" Capscrew	%-16 Flanged Locknut Unload Auger Discharge (Front Unload - See Note 1) 5/16-18 × ¾" Capscrew 5/16-18 Flanged Locknut Unload Auger Output Shaft (Front Unload - See Note 1)
Qty. Description	4 Unload Auger Cover 8 5/16-18 Clip Nut 12 5/16-18 × ¾" Capscrew 12 5/16" Flatwasher			O Æ		2 %-16 x %" Capscrew 2 %-16 Top Lock Flanged Nut 1 1 %" Bearing w/Lock Collar 2 1 %" Bearing Flangette 3 %-16 x 1" Capscrew	%-16 Flanged L Unload Auger D (Front Unload 5/16-18 x %" (5/16-18 Flange Unload Auger C (Front Unload
	2890 4 Unload Auger C 8111 8 5/16-18 Clip Nt 8106 12 5/16-18 %" C 8173 12 5/16" Flatwash		8958 8 8173 8 8168 24	5043 2 C 5042 2 R	9 2 2 7	8119 2 %-16 x ¾" Cap 8205 2 %-16 Top Lock 6003 1 1¼" Bearing w 6004 2 1¼" Bearing Fi 8121 3 %-16 x 1" Caps	3 %-16 Flanged L 1 Unload Auger D (Front Unload 9 5/16-18 x %" (9 5/16-18 Flange 1 Unload Auger C (Front Unload


NOTE 1: Dryers w/Front Unload - Ref. 10, use 127 4431 rear cover plate; Ref. 11, use 127 5999 output shaft and Ref. 12, use 128 0243 auger.

Continued on next page




Ref.	Part No.	Qty.	Description
25	128 3008	_	Front Seal Plate
	000 8184	4	8-18 x 1/2 " Sheet Metal Screw
26	124 5610	-	Unload Auger Input Shaft
27	001 8168	7	%-13 x 4 $%$ " Capscrew - Grd. 5
	000 8180	7	½" Lockwasher
	000 8163	4	½-13 Hex Nut
28	128 4250		Unload Auger Mid Brg. Support
29	128 6020	-	Wood Brg. 1-5/16" (2 Halves)
30	128 0287	-	Unload Auger Brg. Brkt.
	000 8137	7	%-13 x 1 $%$ " Capscrew - Grd. 5
	000 8180	7	½" Lockwasher
	000 8163	7	½-13 Hex Nut
31	122 1007	7	Unload Auger Brg. Kit (Incl. Ref.
			27 thru 30 in quantities reqd. for
			one brg.)
32	128 3011	-	Stub Shaft Guard
33	128 4896	-	Shut-Off Switch Cover
	001 8284	7	5/16-12 x 1/2 " Self-Tapping Screw
34	128 2937	-	Bulb Mount
/35	120 6801	-	Mercury Switch Mt. Clip
	000 8282	7	6-32 x ¼" Machine Screw
	000 8185	7	6-32 Flanged Locknut
36	120 6800	-	Mercury Switch
37	1280309	-	Standard Auger Weld
38	124 5611	-	Unload Auger Output Shaft

UNLOAD AUGER PANS



		370	570	
Ref.	Part No.	Qty	Qty.	Description
1	128 2029	2	4	Auger Dump Arm - Upper
2	128 8355	2	4	Warning Decal (not shown)
3	128 2030	2	4	Auger Dump Arm - Lower
4	128 2751	2	4	Bottom Link Pivot Base
5	128 2673	2	4	Pan Hinge Angle
6	128 2752	1	2	Auger Dump Pan
7	128 8957	3	6	Hinge


BASE SCREENS



		370	57	70			370	57	70
Ref	. Part No.	_Qty	<u>Qt</u>	y. Description	Ref.	Part No.	Qty	Ωt	y. Description
1		-	_	Lower Outer Screen	7	128 8309	2	2	"Grain Dryer" Decal
	127 2945	16	32	Small Seed (Galv.)	8	128 8308	2	2	"Continuous" Decal
2	128 2739	2	4	Lower Screen Mt. Angle	9	128 8374	2	-	"370" Base Decal
3	128 2855	2	6	Lower Screen Stiffener		128 8376	_	2	"570" Base Decal
4	10	-	-	Lower Inner Screen	10	128 8300	2	2	M-C Decal -
	1242000	8	16	w/Clean-Out See Note 1)					5" x 4-9/16"
	128 2994	16	32	Galvanized (Std.)	11	128 2894	1	1	Base Panel Access Door
	127 2960	16	32	Small Seed (Galv.)		001 8284	7	7	5/16-12 x 1/2 " Self-Tapping
5	128 2995	16	32	Lower Inner Screen Cover					Screw
5A	128 4570	1	0	Base Filler Panel	12	128 0225	2	4	Inner Perf. Mt. Weld
				(37" x 13½")		000 8106	12	18	5/16-18 x ¾" Capscrew
	001 8135	12	12	%-16 x 1" Capscrew -		000 8169	12	18	5/16-18 Flanged Locknut
				Grd. 5	13	128 2890	2	4	Unload Auger Cover
	000 8168		12	%-16 Flanged Locknut		001 8111	4	8	5/16-18 Clip Nut
6	128 8310	16′	32'	Red & Yellow Stripe		000 8106	5	12	5/16-18 x ¾" Capscrew
				Decal - 2½"		000 8173	5 '	12	5/16" Flatwasher
						000 8169	1	4	5/16-18 Flanged Locknut

NOTE 1: Screen without clean-out is no longer available. Order Galvanized (Std.) Screen Assembly, 124 1032 or Small Screen (Galv.) Screen Assembly, 124 1033. Assemblies include Ref. 4 Screen, Ref. 5 Cover and Cover Attaching Hardware.


UPPER SCREENS



UPPER SCREENS

Ref. Part No. Qty Qty Description			370	570	
O21 2946 2 2 Galvanized (Std.) 127 2967 2 -	Re	f. Part No.	Qty	Qty.	Description
O21 2946 2 2 Galvanized (Std.) 127 2967 2 -					_
127 2967 2 - Small Screen (Galv.) 123 5213 2 2 Aluminum 2 129 2832 2 4 Hopper Joiner Angle 3 129 2947 2 2 Stiffener Strap 4 021 2950 1 2 Hopper Cap 5 128 3075 - 1 Seal Angle 6 129 2831 - 1 Joiner Plate 7 - Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 - Small Seed (Galv.) 123 5210 2 2 Aluminum 8 - Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 - Small Seed (Galv.) 123 5214 1 1 Aluminum 9 - Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 k %" Carriage Bolt 000 8168 8 16 Galvanized (Std.) 127 2965 - 14 Galvanized (Std.) 123 5212 6 14 Aluminum 10 - Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 129 2945 5 13 Galvanized (Std.) 123 5212 6 14 Aluminum 11 - Outer Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 - Outer Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap	1				
123 5213				2	
2 129 2832 2 4 Hopper Joiner Angle 3 129 2947 2 2 Stiffener Strap 4 021 2950 1 2 Hopper Cap 5 128 3075 - 1 Seal Angle 6 129 2831 - 1 Joiner Plate 7 Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 - Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 - Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8; 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap					
3 129 2947 2 2 Stiffener Strap 4 021 2950 1 2 Hopper Cap 5 128 3075 - 1 Seal Angle 6 129 2831 - 1 Joiner Plate 7 Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 - Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 - Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Outer End Screen W/Quick Drain 127 2966 - Small Seed (Galv.) 127 2977 - 16 Galvanized (Std.) 127 2974 - 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8: 16 %-16 Flanged Locknut 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 123 5212 6 14 Aluminum 11 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap					•
4 021 2950 1 2 Hopper Cap 5 128 3075 - 1 Seal Angle 6 129 2831 - 1 Joiner Plate 7 Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 - Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 - Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Galvanized (Std.) 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 000 8168 8 16 %-16 Flanged Locknut 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13					
5 128 3075 - 1 Seal Angle 6 129 2831 - 1 Joiner Plate 7					Stiffener Strap
6 129 2831 - 1 Joiner Plate 7 Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8₂ 16 %-16 x ¾" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap			1		
7 Outer End Screen w/Quick Drain 128 3002 2 2 Galvanized (Std.) 127 2963 Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap			-	1	Seal Angle
128 3002 2 2 Galvanized (Std.) 127 2963 Small Seed (Galv.) 123 5210 2 2 Aluminum 8 Moisture Control Screen 021 2947 1 1 Galvanized (Std.) 127 2966 Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8, 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Galvanized (Std.) 127 2968 - 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		129 2831	-	1	
127 2963 Small Seed (Galv.) 123 5210 2 2 Aluminum 8	7		-	-	Outer End Screen w/Quick Drain
123 5210				2	Galvanized (Std.)
8		127 2963	-	-	Small Seed (Galv.)
021 2947 1 1 Galvanized (Std.) 127 2966 Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8, 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		123 5210	2	2	Aluminum
127 2966 Small Seed (Galv.) 123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8; 16 %-16 x ¾" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap	8		-	-	Moisture Control Screen
123 5214 1 1 Aluminum 9 Quick Drain Door 127 2950 8 16 Galvanized (Std.) 127 2974 - 16 Small Seed (Galv.) 001 8269 8, 16 %-16 x %" Carriage Bolt 000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Galvanized (Std.) 127 2968 - 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		021 2947	1	1	Galvanized (Std.)
9		127 2966	-	-	Small Seed (Galv.)
127 2950 8 16		123 5214	1	1	Aluminum
127 2974 - 16	9		-	-	Quick Drain Door
001 8269 8; 16		127 2950	8	16	Galvanized (Std.)
000 8168 8 16 %-16 Flanged Locknut 10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain Outer Screen (Std.) 127 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Outer Screen Outer Screen (Galv.) 12 125 2732 4 8 Screen Mount Angle 13 Outer Screen Galvanized (Std.) Small Seed (Galv.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		127 2974	-	16	Small Seed (Galv.)
10 - Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen O21 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		001 8269	8,	16	%-16 x %" Carriage Bolt
10 Outer Screen w/Quick Drain 128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		000 8168	8	16	_
128 3001 6 14 Galvanized (Std.) 127 2965 - 14 Small Screen (Galv.) 123 5212 6 14 Aluminum 11 Outer Screen w/o Quick Drain 021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Galvanized (Std.) 127 2968 - 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap	10		-	-	
127 2965 - 14		128 3001	6	14	
123 5212 6 14 Aluminum 11		127 2965	-	14	
021 2945 5 13 Galvanized (Std.) 127 2964 - 14 Small Screen (Galv.) 123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 - - Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		123 5212	6	14	
127 2964 - 14	11		-	-	Outer Screen w/o Quick Drain
127 2964 - 14		021 2945	5	13	Galvanized (Std.)
123 5211 5 13 Aluminum 12 125 2732 4 8 Screen Mount Angle 13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		127 2964	-	14	Small Screen (Galv.)
13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		123 5211	5	13	
13 Inner Screen 021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap	12	125 2732			Screen Mount Angle
021 2949 16 32 Galvanized (Std.) 127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap	13		-	-	-
127 2968 - 32 Small Seed (Galv.) 14 121 3007 28 60 Stiffener Strap		021 2949	16	32	
14 121 3007 28 60 Stiffener Strap					• •
· · · · · · · · · · · · · · · · · · ·	14		28		
10 140 4000 O 14 IIIU/ D/ace	15	128 2663	6	14	Inner Brace
16 128 3072 6 14 Peak Screen Stiffener					
17 021 2600 3 7 Inner Cross Tie	17				

END PANELS AND FLOOR PANELS




END PANELS AND FLOOR PANELS

		370	570	5
_Ret	. Part No.	Qty	Qty.	Description
1	121 8310	1	1	"Made in USA" - Decal
2	127 8300	1	1	"CGA" Dryer Plate (Canada Only)
3	124 2836	1	1	Left Front Panel
4	124 2835	1	1	Right Front Panel
5	124 2848	2	2	12" Unit Floor Panel
5A	121 2928	2	6	Unit Floor Panel
6	124 2847	1	1	Panel Above Orifice
7	021 2602	2	2	End Panel to Hopper Joiner Angle
8	121 0302	2	2	Latch and Handle
9	121 0299	1	1	Heat Chamber Door Frame
10	121 1113	1	1	Heat Chamber Door Ass'y
				(Incl. Ref. 8, 11 & 12)
11	121 2970	1	1	Heat Chamber Door Panel
12	001 8256	-	-	Spring - %" ID x 2"
	000 8174	-	-	%" Flatwasher
	000 8199	-	-	1/6" x 1" Cotter Pin
13	128 1183	1	1	Upper Rear Door Ass'y
				(Incl. Ref. 12, 14, 24, 25, 26 & 28)
14	128 2957	1	1	Upper Rear Door Panel
15	021 2832	1	1	Right Rear End Panel
16	128 2919	1	1	Panel Above Door
17	128 2999	1	1	Decal Mount Plate
18	128 8331	1	1	Large Decal - See note
19	128 8373	1	-	"370" Model Decal
	128 8375	-	1	"570" Model Decal
20	021 2833	1	1	Left Rear End Panel
21	128 2755	1	1	Dryer, Rear Door Frame
22	124 4463	2	2	Brace, Rear Door Frame
23	128 5201	4	4	Hinge Pin
24	128 2740	4	4	Door Hinge
	000 8212	16	16	1/4 - 20 X 1/2 " Truss Hd. Screw
0.5	000 8167	16	16	14-20 Flanged Locknut
25	121 8966	10′	10′	Weather Stripping (Order ft. required)
26	121 2887	1	1	Door Handle
27	128 3009	1	1	Lower Door Rear Panel
28	121 0414	3	3	Latch and Handle
29	124 2846	1	1	Burner Unit Floor

NOTE: This decal is imprinted "Model 975." Order one of Ref. 19 to be placed over "Model 975."

SCR DRIVE MOTOR AND GEAR BOX




Ref	. Part No.	Qty.	Description	Ret	f. Part No.	Qty.	Description
						-	
1	124 6837	1	DC Motor - 1/3 HP	9	127 6860	_	230/460V 1.5HP 3@Motor
	122 8613	-	DC Motor Bruch		121 6861	-	230/460V 2HP 3Ø Motor
2	124 6624	1	SCR Gear Box (Incl. 3/16" x 1" Key - 001 5110)		001 5112	1	Key - 3/16" x 1%" (For 1 ½ HP motor)
	128 8947	1	Pint of Mobil SHC 634 Oil		001 5114	1	Key - 3/16" x 1%" (For
	000 8123	5	%-16 x 1 ¼ " Capscrew				2 HP motor)
	000 8174	5	%" Flatwasher		128 1810	1	Motor to Cabinet Wire
	000 8168	5	%" Flanged Locknut				Ass'y
3	128 6422	1	SCR Gear Box Sprocket		000 8110	4	5/16-18 x 1 ½ " Capscrew
			(not shown) RC40-12T-		000 8108	3	5/16-18 x 1" Capscrew
			¾" Bore		000 8173	4	5/16" Flatwasher
4	128 6423	2	Sprocket-RC40-36T-1 ¼ "		000 8169	4	5/16-18 Flanged Locknut
			Bore	10	124 4214	1	Unload Auger Motor Mt.
	000 8298	2	Woodruff Key - ¼" x ¾"		000 8121	4	%-16 x 1" Capscrew
5	021 6201	1	Pulley-2B x 13.6 SK		001 8132	2	%-16 x 4" "J" Bolt
	001 5130	1	Key - %" x 1"		000 8174	5	%" Flatwasher
6	021 6100	1	B-65 Belts (Matched Set		000 8168	5	%-16 Flanged Locknut
			of 2)	11	121 6022	2	1¼" Outboard Brg.
7	128 6315	1	Chain - RC-40 x 130 Pitch		000 8121	4	%-16 x 1" Capscrew
	002 6309	-	Connecting Link		000 8174	4	%" Flatwasher
8	121 6210	1	Pulley - 2B - 3-3/16" OD -		000 8168	4	%-16 Flanged Locknut
			%" Bore	12	128 0257	1	Gear Mt. Motor Weld.
	121 6203	1	Pulley - 2B - 3-3/16" OD -		-000-8119	- 4	%-16 x %" Capscrew
			%" Bore				%" Flatwasher
					-000-8168 ⁻	4	%-16 Flanged Locknut


Continued on next page

SCR DRIVE MOTOR AND GEAR BOX

Ref. Part No.	Qty.	Description
13 001 6202	1	SK Bushing - 1-7/16"
		Bore (Incl. capscrews)
14 128 0191	XX	Q Outboard Bearing Mount
15 124 4456	1	Gear Box Mount
000 8119	4	%-16 x ¾" Capscrew
000 8174	4	%" Flatwasher
000 8168	4	%-16 Flanged Locknut
16 128 1999	1	SCR Motor to Cabinet
		Flexible Conduit (40")
17 128 0268	1	Drive Guard
128 8951	2	Rubber Strap w/Hook
001 3302	2	Angle Clip
000 8121	4	%-16 x 1" Capscrew
000 8174	6	%" Flatwasher
001 8149	4	%-16 Two-Way Locknut
	•	70 70 7110 Tray Lookilat
Not Shown:		
18 000 8301	2	Safety Shield Warning
	_	Decal
- 120 6914	2	Chase Nipple - ½"
- 121 6906	2	Pipe Clamp
000 8212	2	¼-20 x ½" Truss Hd.
000 0212	<u>-</u>	Screw
000 8167	2	¼-20 Flanged Locknut
000 0107	~	74 ZO Hanged Lockildt




FAN ORIFICE AND ORIFICE LINER




FAN ORIFICE, ORIFICE LINER AND GUARD

Ref	. Part No.	Qty.	Description	<u>Re</u>	f. Part No.	Qty.	Description
				6	128 2756	4	Air Flow Straightener
1	128 4725	1	Orifice Liner	7	121 2978	2	Orifice Cover Plate
2	128 0267	1	Fan Orifice Weldment	8	128 8363	1	Vaporizer Adj. Decal (LP Gas)
3	121 8998	1	Intake Flange Spinning	9	128 4570	1	Spacer Panel
4	128 3465	2	Fan Housing Brace	10	121 8956	1	Fan Guard
5	128 0272	1	Orifice Support Weldment	11	121 8301	1	Counterclockwise Arrow




FAN AND FAN MOTOR MOUNT




Ref	. Part No.	Qty.	Description	<u>Ref</u>	. Part No.	Qty.	Description
					404 0070	4	00/10 44 000/
1	128 0267	1	Fan Orifice Weld		124 6879	1	20HP 10 230V
2		-	Fan				Motor (570)
	121 0337	1	370 (9 blade 18°)		125 6934	1	20HP 3Ø 230/460V
	121 0272	1	570 (9 blade 27°)				Motor (570)
3	121 6239	_	"SK" Bushing - 1%" Bore		000 8293	4	%"-16 x 1½" Capscrew
			(10HP motors)				Full Thread (10HP motor)
	121 6229	_	"SK" Bushing - 1%" Bore		000 8168	4	%-16 Flanged Locknut
			(20HP motors)		000 8139	4	½-13 x 1¾" Capscrew
	121 8117	3	5/16-18 x 2" Socket Hd.				(20HP motor)
			Capscrew - Grd. 5		000 8170	4	½-13 Flanged Locknut
4	001 5124	1	Key - 5/16" x 2%"	6	121 0343	1	Motor Mt. (20HP motor)
			(10HP motor)		000 8165	8	34-10 Hex Nut
	001 5139	1	Key - %" x 3"		000 8177	8	¾" Flatwasher
			(20HP motor)		000 8182	4	%" Lockwasher
5		_	Fan Motor	7	121 0258	1	Motor Mt. Base
	124 6818	1	10HP 10 230V		000 8139	4	½-13 x 1" Carriage Bolt
			Motor (370)		000 8170	4	½-13 Flanged Locknut
	201 6818	1	10HP 3Ø 230/460V Motor (370)	8	121 3356	2	Orifice Reinforcement

ELECTRODE AND FLAME SENSING PROBE



Ref	. Part No.	Qty.	Description	<u>Ref</u>	. Part No.	Qty.	Description
1	124 6872	1	Flame Sensing Probe	7	128 2747	1	Electrode Mt. Seal
2	121 6915	2	Locknut - 1/2"		001 8104	4	¼-20 x ½" Self-Tapping
3	000 8162	1	%-16 Hex Nut				Screw
4	000 8227	1	%-16 X 2¾" Capscrew -	8	000 8168	2	%-16 Flanged Locknut
			Full Thread	9	128 1910	1	Ignition Wire 36" w/Boot
5	128 2746	1	Electrode Mt. Plate	10	128 6989	3	Stand-Off Clip
6	128 6995	1	Style 2 Electrode	11	128 4941	1	Wire Support Brkt.
	000 8186	2	6-32 x ½" Machine Screw				(On bottom burner)
	000 8245	2	No. 6 Lockwasher	12	124 1078	1	Low Voltage Wire Ass'y 36"
	000 8185	2	6-32 Flanged Locknut	13	124 1077	1	Low Voltage Wire Ass'y 48"


LP GAS MANIFOLD



LP GAS MANIFOLD


Re	f. Part No.	Qty.	Description
1	123 8062	1	1¼" - 90° Street Elbow
2	123 8053	1	1 ¼ " Standard Union
3	123 8078	1	1¼" x ¾" Reducer Bushing
4	121 8008	1	34" x 3" Extra Heavy Nipple
5	121 7024	1	½" Modulating Valve 140°-250° P.E.
6	121 8029	1	¾" x ½" Reducer Bushing
6A	121 8013	2	½ " Close Nipple
7	121 7011	1	¾" Hand Valve
8	121 8007	3	¾" Close Nipple
9	120 7002	1	Pressure Gauge
10	123 8092	1	¾" x ¾" x ¼" Standard Tee
11	121 8074	2	¾" - 90° Standard Elbow
12	129 8037	1	¾" x 10" Standard Nipple
13	121 7002	1	¾ " Solenoid Valve 115V
14	127 8008	1	¾" x 6" Standard Nipple
15	128 7005	1	LP Gas Pressure Regulator
16	121 8005	1	¾" x 1 ½" Extra Heavy Nipple
17	121 8060	1	¾ " Strainer
18	125 8058	1	¾" x 2½" Extra Heavy Nipple
19	128 8019	1	34" Extra Heavy Union Elbow
20	128 8041	1	¾" x ½" Red. Coupling Extra Heavy

LP LIQUID LINE




Ref	. Part No.	Qty.	Description
•			
1	121 8036	2	½" X 90° Elbow Extra Heavy
2	121 8014	1	½" x 5" Extra Heavy Nipple
3	121 7015	1	Flip Valve
4	121 8094	2	½" x 1½" Extra Heavy Nipple
5	120 8035	1	½" Tee Extra Heavy
6	125 7082	1	½ " Solenoid Valve
7	125 8010	1	½" Extra Heavy x 10" Nipple
8	121 8064	1	½" x 7" Extra Heavy Nipple
9	128 8010	1	½" Extra Heavy Union Elbow
10	121 7014	1	Relief Valve Adapter
11	121 7013	1	Relief Valve

NATURAL GAS MANIFOLD



Ret	f. Part No.	Qty.	Description
1	123 8053	1	1¼" Standard Union
2	123 8069	3	1 ¼ " Standard Close Nipple
3	123 7024	1	1¼" Modulating Valve 140°-250°
4	128 8003	1	1¼" x 3½" Standard Nipple
5	128 7001	2	1 ¼ " Solenoid Valve
6	123 8062	1	1 ¼ " Street Elbow
7	125 8013	2	1 ¼ " X 2" Standard Nipple
8	123 8051	1	1¼" - 90° Standard Elbow
9	123 7003	1	1¼ " Hand Valve
10	120 7002	1	Gas Pressure Gauge
11	127 8131	1	1¼" x 1¼" x %." Standard Tee
12	121 8039	1	¼" 90° Street Elbow
13	127 8132	1	%" to ¼" Reducer
14	127 8025	1	1¼" x 36" Standard Nipple
		•	ee etamaala Hippio

115 V AND MOTOR CONTROL CABINET




115 V AND MOTOR CONTROL CABINET

<u>Re</u>	f. Part No.	Qty.	Description	<u>Re</u>	f. Part No.	Qty.	Description
3	121 8600 128 0277 128 8600 124 1021	1 1 - 2	Hole Plug Control Cabinet Weld Weather Stripping - ¼" x ½" (Specify ft. reqd.) Door "T" Handle Ass'y (Incl. Ref. 5 keys, Ref. 16 cam and mtg. hdwe.) Lever type handle no	15 16 17	121 8315 128 3425 127 6855 127 6827 127 6829	1 2 1 1	Notice, Warranty Decal Door Handle Cam 200/208V Transformer (750VA) 230/460V Transformer (750VA) 230/460/575V Transformer (750VA)
4	128 8946	2	longer available. Door "T" Handle w/keys	18 19 20	124 4453 125 6918 128 8349	1 2 1	Component Mtg. Panel Grounding Lug Ground Decal
5 6	122 8900 124 4824	2	(Less Ref. 16 cam) Door "T" Handle Key Thermometer Mt. Plate	21 22	128 6957 128 8318	1	Splitter Block-1 & 3 Phase Splitter Block Voltage Decal
7 8	128 8983 121 6988	1	Thermometer - 15' Capillary (Mtg. brkt. incl.) Fuse Holder (208V, 460V	23 24	001 8310 128 1930	1	Machine Warranty Decal Lower Door Ass'y (Incl. Ref. 3, 16 & 25 thru 28)
9	124 6835 124 6829	2 2	& 575V) 208V Fuse - FRN9 460V Fuse - FRS4	25 26 27	124 4816 021 0012 001 8302	1 4 1	Door - Lower Door Hinge w/Pin M-C Decal - 8-3/16" x 9"
10 11 12	127 6839 121 8313 128 8335 121 8351	2 1 1	575V Fuse - FRS3.2 Heat Fan Decal Unload Auger Decal Level Auger Decal	28 29 (30	121 8316 121 4656 128 0278	1 6 1	Dryer Warning Decal Door Hinge w/o Pin Hinged Light Door
13	123 8339 123 8336 123 8335 123 8338	1 1 1 1	208 Volts Decal 230 Volts Decal 460 Volts Decal 575 Volts Decal	(31 (32 33 34	128 1908) 021 4769) 121 2883 121 2882	1 1 -	Upper Door Ass'y (Incl. Ref. 3, 16, 26 & 32) Door - Upper Sensing Bulb Brkt. Sensing Bulb Clip
14	128 5789	2	Insulator Sheet (460V & 575V)	35	124 6947		Motor Saver (20HP 10 only)


1281978 - Door Assx 1280318 - Door Voldment

ELECTRICAL COMPONENTS IN 115V CONTROL CABINET




Ref.	Part No.	Description
1	021 4770	Component Mounting Board
2	128 6851	Fuse Holder
3	128 6967	10 Amp Fuse (NON-10)
4	021 6810	Relay Socket
5	021 6809	Relay
6	021 6816	Timer Socket
7	021 6815	60 Minute Adjustable Timer
8	124 6874	SCR Board (Dart)
9	121 6805	10 Amp - GLH Fuse
10	(124 6940)	Moisture-Matic II
11	128 5916	Snap Track 8½"
12	124 6928	Terminal Block 12-Position
13	124 6929	Terminal Block 3-Position
14	124 6890	Adjustable .01-8 Min. Timer
15	124 6831	10 Second Timer
16	121 6925	Ignition Board
17	127 6812	10W 3K Resistor

CONTROL PANEL LIGHTS, SWITCHES AND CONTROLS



Ref.	Part No.	Description
1	121 6808	125V Indictor Lamp Ass'y
		(Inc. lamp & lens)
	122 6810	125V Indicator Lamp
	122 6800	Indicator Lamp Lens (Clear)
2	120 6827	OFF-ON-ON Momentary Contact
		Toggle Switch
3	121 6807	ON-OFF-ON Toggle Switch (DPDT)
4	128 8365	115V Control Bezel
5	124 6939	Moisture Control Potentiometer
		w/Knob & Wire
	124 6941	Knob
6	121 6807	ON-OFF-ON Toggle Switch (DPDT)
7	124 6848	8 Amp Circuit Breaker (SCR Drive)
8	124 -10 89	SCR Drive Potentiometer
	1195	(10 turn w/wire)
	124 6892	Multi-Dial
9	128 6845	Stop Button - Red
10	128 8358	Fan Control Bezel
11	128 6844	Start Button - Black
12	121 6815	ON-OFF Toggle Switch (SPST)
13	122 6814	Ignition Reset (0.1 Amp)
14	124 6938	Fuse Holder
	124 6937	1 Amp Fuse Slo-Blow
15	124 6936	Discharge Meter
	124 1081	Resistor Assembly


570 HOPPER AND LEVEL AUGER



570 HOPPER AND LEVEL AUGER


Ref.	Part No.	Otty.	Description	Ref.	Part No.	Otv.	Description
,	į						
.	129 0003		Level Auger Guard	22	128 0122	.	Level Auger (93%" RH flighting)
7		-	Level Auger Belt	23		ν-	Level Ander Center Shaft
			2/3V/710 (banded belt) or	į			(1 1/4 " × 10 1/4 ")
(:		128 6104 in matched set of two	24	129 0000	,	Level Auger Support
ო	128 6207	-	Level Auger Motor Sheave "SH"	25	128 0317		Level Auger (82%" RH flighting)
•	0	•	3V/3.65 x 2 Grv.	26	129 4202		
4	128 6214	-	Level Auger Motor Bushing - 11/8" SH			4	1/2 × 3 ½ " Capscrew (Full thread)
					000 8170	4	½-13 Flanged Locknut
ı	1		(Incl. capscrews & lockwashers)		000 8163	ω	½-13 Hex Nut
Ω (თ 4 :	_	⊋	27	001 5120	, -	Key - 1/2 " × 1/2 "
ထ	1511	-	-3/16" × 1	28	128 5051	_	Level Auger Front Shaft (1 1/4 " x 10")
	1 511		- 3/16" × 1	29		-	1 1/4 " SK Bushing (Incl. capscrews &
i	<u>5</u>		< 2" (lockwashers
_	128 6818		230/460V 3HP 3@ Motor	30	128 6208	1	Level Auger Sheave "SK"
ω .	129 0001	-	Level Auger Motor Mt.				3V/19.0 × 2 Grv.
တ	001 8287	7	%-16 x 3 %" Capscrew - Grd. 5	30A	128 1960	.	Flexible Conduit w/Wires
	001 8139	7	%" Lockwasher	31	128 8951	_	Rubber Strap w/Hook
,	000 8162	ω		32	128 6922	_	Slatter Box (½")
0 ;	128 3415	7	Ë	33		•	Upper End Panel - Front
_ ;	128 6021	. .	1	33A		,	
7.5	129 2945	7	Hopper Cover - Front & Rear (76")	34	128 6992	-	Bin Level Indicator (See pg. 31)
<u>,</u>	128 8355	~		32		4	
- -	129 4204	-	Receiving Tube Cover	36	129 2836	4	Hopper Side
ر ا ا	129 0002	-	Receiving Hopper	37		7	Cross Strap (37")
P P	129 4205	, ,	Flow Restrictor			7	Hopper Panel Brace
	129 5/03	- 1		38		9	Hopper Brace
(000 8168	m ,	%-16 Flanged Locknut	39	O	-	Level Auger Brg. Support
1 0	789 4847	<u> </u>	Stub Guard		ω	7	%-16 x 1" Capscrew - Grd. 5
<u> </u>	001 6004	4	Bearing Flangette 1 ¼"		001 8139	7	%" Lockwasher
<u>∞</u> ;	128 5052	, -	ar Shaft		000 8162	7	%-16 Hext Nut
ກຸເ	001 6003	~	Bearing w/Lock Collar - 11/4"	40	122 1008		Level Auger Brg. Kit
0 .	129 2834	- •					(Incl. Ref. 10, 11, 39 & 40 in
ZOA G	834	7 !	M-C Decal (26%" x 23")				quantities read. for one bra.)
7.7	0 810	12	% -20 × 2" Capscrew	41	129 2838	_	Auger Cover Short
	870	12	Spring (%" OD x 1 %")				
	ω (Ο (36	¼" Flatwasher				
	000 8210	12	½-20 Two-Way Locknut				

370 HOPPER AND HOPPER EXTENSION




Ref. Part No.		Qty.	Description
1	129 3412	4	Lifting Bar
2	129 2836	2	Hopper Side
3	129 4950	1	Rear Hopper End Panel
4	129 2948	2	Cross Strap
5	128 4973	2	Hopper Extension Angle
6	128 6992	1	Bin Level Indicator
7	124 4458	2	Hopper Extension Angle
8	129 4951	1	Front Hopper End Panel

MOISTURE CONTROL, AIR PRESSURE AND HIGH LIMIT SWITCHES




Air Pressure and High Limit Switches

Ref. Part No.		Description
1	124 6934	High Limit Switch -
		Adjustable-Manual Reset
2	121 6849	Air Pressure Switch
3	121 2946	High Limit Switch Cover
4	121 8000	Pipe Locknut - ¼"
5	121 2007	Air Pressure Tube Brkt.
6	121 0169	Air Pressure Tube
7	121 5716	Air Pressure Tube Filter
8		Filter Retainer (Wire)



Moisture Control Probe

Ref.	Part No.	Description
9	121 0031	Moisture Control Shield
10	121 6915	Locknut - ½"
11	128 3007	Bracket
12	124 6893	Thermistor Sensor (Probe)
13	123 8089	½" Handy Ell
14	125 6908	18/2 PVC Cord w/Shield



Ref.	. Part No.	Qty.	Description
-	128 6992	1	Bin Level Indicator (Less Ref. 5)
1	122 6847	1	Spring
2	122 6848	1	Microswitch Ass'y
3	122 6850	1	Gasket
4	122 6849	1	Diaphragm (Teflon)
5	128 1995	1	Level Switch Wire Ass'y

DRYER MOTORS, CIRCUIT BREAKERS AND MAGNETIC STARTERS

MOTOR CIRCUIT BREAKER MA			MAGNETI	C STARTER					
HP	*FLA	Part No.	Part No. Amps "D" No.		Starter Part No.	Square "D" No.			
200	/208V	- 3 PHASE	- 60 HZ						
□1.5	5.98	127 6833	128 6882	15	QOU 315	124 6931	DPS033	128 6947	B 9.10
‡1.5	5.98	127 6861	128 6882	15	QOU 315	124 6931	DPS033	128 6947	B 9.10
2	7.82	127 6841	128 6882	15	QUO 315	124 6931	DPS033	128 6863	B 11.5
3	11.0	127 6832	124 6875	20	QOU 320	124 6931	DPS033	128 6823	B 17.5
5	17.5	127 6843	124 6876	35	QOU 335	124 6931	DPS033	120 6857	B 32
7.5	25.3	127 6858	124 6904	50	QOU 350	124 6930	DPS053	128 6979	B 40
10	32.2	203 6809	125 6912	60	QOU 360	124 6930	DPS053	128 6950	B 50
15	48.3	126 6854	128 6885	90	QOU 390	124 6930	DPS053	128 6953	B 79
20	62.1	127 6853	128 6966	100	QOU 3100	124 1082	DPA73	128 6827	CC 87.7
25	67.0	127 6852	128 6887	110	Q2L 3110	124 1082	DPA73	120 6844	CC 103
30	80.0	127 6859	124 6906	125	Q2L 3125	124 1083	DPA93	128 6954	CC 132
230	V - 1 P	HASE - 60	HZ						
□1.5	8.3	121 6846	128 6878	20	QOU 220	124 6931	DPS033	128 6863	В 11.5
‡1.5	10.6	127 6863	128 6878	20	QOU 220	124 6931	DPS033	120 6850	B 15.5
2	12.3	121 6862	124 6903	25	QOU 225	124 6931	DPS033	128 6949	В 19.5
3	20.0	128 6829	124 6909	40	QOU 240	124 6931	DPS033	120 6857	В 32
5	28.0	201 6815	128 6880	60	QOU 260	124 6930	DPS053	128 6979	B 40
17.5	38.5	124 6816	124 6908	80	QOU 280	124 6930	DPS053	124 6910	B 66
†7.5	38.5	124 6888	124 6908	80	QOU 280	124 6930	DPS053	124 6910	B 66
10	45.0	124 6818	128 6881	90	QOU 290	124 6930	DPS053	128 6953	В 79
20	92.0	124 6879	124 6881	125	Q2L 2125	124 1083	DPA93	128 6820	CC 156
230	V - 3 F	HASE - 60	HZ						
□1 <i>.</i> 5	5.0	121 6845	128 6882	15	QOU 315	124 6931	DPS033	120 6851	В 7.70
‡1.5	5.0	127 6860	128 6882	15	QOU 315	124 6931	DPS033	120 6851	В 7.70
2	6.0	121 6861	128 6882	15	QOU 315	124 6931	DPS033	128 6947	B 9.10
3	9.0	128 6818	128 6882	15	QOU 315	124 6931	DPS033	125 6931	B 14.0
5	13.8	128 6815	124 6907	25	QOU 325	124 6931	DPS033	120 6855	В 25
7.5	20.6	121 6948	128 6968	40	QOU 340	124 6931	DPS033	128 6946	В 36
10	27.2	201 6818	125 6912	60	OOU 360	124 6930	DPS053	120 6853	B 45
15	39.2	201 6819	128 6891	80	OON 380	124 6930	DPS053	128 6978	В 70
20	49.6	125 6934	128 6885	90	OON 380	124 1082	DPA73	128 6972	CC 74.6
25	61.0	201 6842	128 6966	100	QOU 3100	124 1082	DPA73	128 6827	CC 87.7
30	73.0	128 6986	128 6887	110	QL2 3110	124 1083	DPA93	128 6820	CC 156

^{*}If FLA (Full Load Amps) shown does not match FLA imprinted on motor name plate, refer to Square D charts for correct thermal unit size.

^{□ - %&}quot; shaft ‡ - %" shaft

^{† - 124 6816} has 1%" shaft. 124 6888 has 1%" shaft.

DRYER MOTORS, CIRCUIT BREAKERS AND MAGNETIC STARTERS

	MOT	OR	CIRC	UIT BRE	AKER	MAGNETIC STARTER			
HP	*FLA	Part No.	Part No.	Amps	Square "D" No.	Starter Part No.	Square "D" No.	Thermal Unit Part No.	Thermal Unit Size
380	V - 3 PI	HASE - 50 H	łZ						
1.5	2.9	127 6860	128 6931	15	FAL 36015	124 6931	DPS033	128 6951	B 6.25
**1.5	2.9	123 6876	128 6931	15	FAL 36015	124 6931	DPS033	128 6951	B 6.25
2	3.7	121 6861	128 6931	15	FAL 36015	124 6931	DPS033	120 6845	B 6.90
**2	3.7	124 6867	128 6931	15	FAL 36015	124 6931	DPS033	120 6845	B 6.90
3	5.2	128 6818	128 6931	15	FAL 36015	124 6931	DPS033	128 6947	B 9.10
15	23.0	201 6819	128 6937	60	FAL 36060	124 6930	DPS053	120 6853	B 45
20	30.5	125 6842	124 6905	70	FAL 36070	124 6930	DPS053	128 6950	B 50
25	35.9	128 6986	125 6929	80	FAL 36080	124 6930	DPS053	128 6983	B 56
460	V - 3 PI	HASE - 60 H	łZ						
□1.5	2.5	121 6845	128 6931	15	FAL 36015	124 6931	DPS033	128 6984	В 3.00
‡1.5	2.5	127 6860	128 6931	15	FAL 36015	124 6931	DPS033	128 6984	В 3.00
2	3.0	121 6861	128 6931	15	FAL 36015	124 6931	DPS033	128 6948	B 4.15
3	4.5	128 6818	128 6931	15	FAL 36015	124 6931	DPS033	120 6845	B 6.9
5	6.9	128 6815	128 6931	15	FAL 36015	124 6931	DPS033	128 6952	B 10.2
7.5	10.3	121 6948	128 6933	20	FAL 36020	124 6931	DP\$033	128 6823	B 17.5
10	13.6	201 6818	125 6928	30	FAL 36030	124 6931	DPS033	120 6855	B 25.0
15	19.6	201 6819	128 6930	40	FAL 36040	124 6930	DPS053	128 6946	В 36
20	24.8	125 6934	128 6937	60	FAL 36060	124 6930	DPS053	120 6853	B 45
25	31	201 6842	124 6905	70	FAL 36070	124 6930	DPS053	128 6983	B 56
30	37	128 6986	125 6929	80	FAL 36080	124 6930	DPS053	128 6978	В 70
575	V - 3 PI	1ASE - 60 F	łZ						
□1.5	2	127 6815	128 6931	15	FAL 36015	124 6931	DPS033	128 6984	В 3.00
‡1.5	2	127 6862	128 6931	15	FAL 36015	124 6931	DPS033	128 6984	В 3.00
2	2.4	127 6816	128 6931	15	FAL 36015	124 6931	DPS033	120 6848	В 3.70
3	3.6	127 6814	128 6931	15	FAL 36015	124 6931	DPS033	120 6829	B 5.50
5	5.5	127 6847	128 6931	15	FAL 36015	124 6931	DPS033	128 6985	B 8.20
7.5	8.2	127 6828	128 6931	15	FAL 36015	124 6931	DP\$033	128 6863	B 11.5
10	10.8	127 6857	128 6933	20	FAL 36020	124 6931	DPS033	128 6823	B 17.5
15	15.6	127 6845	125 6928	30	FAL 36030	124 6931	DPS033	128 6971	B 28
20	19.8	127 6844	128 6930	40	FAL 36040	124 6931	DPS033	128 6946	В 36
25	25	127 6846	128 6937	60	FAL 36060	124 6930	DPS053	120 6853	B 45
30	30	124 6902	128 6937	60	FAL 36060	124 6930	DPS053	128 6983	B 56

^{*}If FLA (Full Load Amps) shown does not match FLA imprinted on motor name plate, refer to Square D charts for correct thermal unit size.

** - "C" Face

- %" shaft


^{‡ - 1/8&}quot; shaft

115V COILS AND INTERLOCKS


STARTER			COIL	INTERLOCK		
SQUARE "D" NO.	M-C NO.	M-C NO.	SQUARE "D" NO.	M-C NO.	SQUARE "D" NO.	
DPA73	124 1082	122 6861	9998-DA3V02	124 6933	9999-D-20	
DPA93	124 1083	122 6861	9998-DA3V02	124 6933	9999-D-20	
DPS053 (50) HZ	124 6930	122 6860	9998-DA1V02	124 6933	9999-D-20	
DPS033 (50) HZ	124 6931	122 6860	9998-DA1V02	124 6933	9999-D-20	
DPS033 (60) HZ	124 6931	122 6860	9998-DA1V02	124 6933	9999-D-20	
DPS053 (60) HZ	124 6930	122 6860	9998-DA1V02	124 6933	9999-D-20	

JUMPER STRAP KITS AND CONTACT KITS

STARTER			R STRAP KIT APS PER KIT)	CONTACT KIT		
SQUARE "D" NO.	M-C NO.	M-C NO.	SQUARE "D" NO.	M-C NO.	SQUARE "D" NO.	
DPA73	124 1082	124 6885	9998- S 032	122 6863	9998-DRC7	
DPA93	124 1083	124 6885	9998- S 032	122 6864	9998-DRC9	
DPS033 (50) HZ	124 6931	-120 6841	9998-8031			
DPS053 (50) HZ	124 6930	120 6841	9998-\$031	122 6862	9998-DRC5	
DPS033 (60) HZ	124 6931	120 6841	9998-\$031			
DPS053 (60) HZ	124 6930	120 6841	9998-\$031	122 6862	9998-DRC5	




PORTABILITIES (Optional)



120 1030 - 4 Wheel Portabilities (Incl. Ref. 1 & 2 and four of Ref. 3 & 5 less tires)

Re	f. Part No.	Qty.	Description	Ref	. Part No.	Qty.	Description
1	128 3671	2	Pole Mount Brkt.	6	001 8996	1	Hub Cap
	128 8196 000 8182	8 8	%-10 x 2 %" Capscrew - Grd.5 %" Lockwasher	7 8	001 8252 001 8253	1 1	Cotter Pin - 1/8" x 1" Spindle Nut
	000 8165	8	%-10 Hex Nut	9	001 8254	1	Spindle Washer
2	120 0047 128 8195	1 8	Dryer Pole 34-10 x 2" Capscrew - Grd. 5	10 11	001 6000 002 6000	1	Bearing Cone - Outer
	000 8182	8	%" Lockwasher	12	002 0000	1 5	Bearing Cup - Outer ½-20 Lug Nut - 45°
3	000 8165 001 8993	8 1	%-10 Hex Nut 5 Bolt Wheel - 15"	13	001 8992	1	Wheel Hub Ass'y - 5 Bolt
4	127 8990	1	7.60 x 15-6 Ply Tubeless Tire	14	002 8152	5	(Incl. Ref. 11, 14 & 15) ½-20 x 1½" Stud
5	120 1028	1	Wheel Spindle & Hub	15	002 6001	1	Bearing Cup - Inner
	000 8146	6	Ass'y (Inc. Ref. 6 thru 18 %-11 x 1 ½ " Capscrew - Grd.5	16 17	001 6001 001 8991	1 1	Bearing Cone - Inner Seal
	000 8181 000 8164	6 6	%" Lockwasher %-11 Hex Nut	18	120 0031	1	Wheel Mount





Iron Horse Quality